

| | | |
|---|---|--|
| Federal Communications Commission Washington, D.C. 20554 <p style="text-align: center;">FCC 349</p> | Approved by OMB 3060-0405 (March 2001) | FOR FCC USE ONLY |
| <p>APPLICATION FOR AUTHORITY TO CONSTRUCT OR MAKE CHANGES IN AN FM TRANSLATOR OR FM BOOSTER STATION</p> <p>Read INSTRUCTIONS Before Filling Out Form</p> | | FOR COMMISSION USE ONLY FILE NO. BMPFT - 20060419ABX |

Section I - General Information

| | | | | | | | | |
|--|--|---------------------|---|---------------------|--|--|---------------------|-------------------------------|
| 1. | Legal Name of the Applicant MINNESOTA PUBLIC RADIO Mailing Address 480 CEDAR STREET <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">City ST. PAUL</td> <td style="width:30%;">State or Country (if foreign address) MN</td> <td style="width:20%;">ZIP Code 55101 -</td> </tr> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Telephone Number (include area code) 6512901259</td> <td style="width:50%;">E-Mail Address (if available) FCCFILING@MPR.ORG</td> </tr> <tr> <td style="width:30%;">Call Sign K283AN</td> <td style="width:70%;">Facility Identifier 141856</td> </tr> </table> | City ST. PAUL | State or Country (if foreign address) MN | ZIP Code 55101 - | Telephone Number (include area code) 6512901259 | E-Mail Address (if available) FCCFILING@MPR.ORG | Call Sign K283AN | Facility Identifier 141856 |
| City ST. PAUL | State or Country (if foreign address) MN | ZIP Code 55101 - | | | | | | |
| Telephone Number (include area code) 6512901259 | E-Mail Address (if available) FCCFILING@MPR.ORG | | | | | | | |
| Call Sign K283AN | Facility Identifier 141856 | | | | | | | |
| 2. | Contact Representative (if other than Applicant) TODD STANSBURY Mailing Address 1776 K STREET NW SUITE 500 <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">City WASHINGTON</td> <td style="width:30%;">State or Country (if foreign address) DC</td> <td style="width:40%;">ZIP Code 20006 -</td> </tr> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Telephone Number (include area code) 2027194948</td> <td style="width:50%;">E-Mail Address (if available) TSTANSBU@WRF.COM</td> </tr> </table> | City WASHINGTON | State or Country (if foreign address) DC | ZIP Code 20006 - | Telephone Number (include area code) 2027194948 | E-Mail Address (if available) TSTANSBU@WRF.COM | | |
| City WASHINGTON | State or Country (if foreign address) DC | ZIP Code 20006 - | | | | | | |
| Telephone Number (include area code) 2027194948 | E-Mail Address (if available) TSTANSBU@WRF.COM | | | | | | | |
| 3. | If this application has been submitted without a fee, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114): <input type="radio"/> Governmental Entity <input checked="" type="radio"/> Noncommercial Educational Licensee/Permittee <input type="radio"/> Other | | | | | | | |
| 4. | Facility information: a. <input checked="" type="radio"/> FM Translator <input type="radio"/> FM Booster b. Community or communities to which the proposed facility will be licensed: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">Community(ies)</td> <td style="width:50%;">State</td> </tr> <tr> <td>HINCKLEY</td> <td>MN</td> </tr> </table> | Community(ies) | State | HINCKLEY | MN | | | |
| Community(ies) | State | | | | | | | |
| HINCKLEY | MN | | | | | | | |
| 5. | Application Purpose <input type="radio"/> New station <input type="radio"/> Major Change in licensed facility <div style="text-align: right;"> <input type="radio"/> Major Modification of construction permit <input checked="" type="radio"/> Minor Modification of construction permit </div> | | | | | | | |

Minor Change in licensed facility

Major Amendment to pending application

Minor Amendment to pending application

a. File number of original construction permit:

BNPFT-20030828AQS

If an amendment, **submit as an Exhibit** a listing by Section and Question Number the portions of the pending application that are being revised.

[Exhibit 1]

NOTE: In addition to the information called for in this section, an explanatory exhibit providing full particulars must be submitted for each question for which a "No" response is provided. See General Instruction J.

Section II - Legal

1. **Certification.** Applicant certifies that it has answered each question in this application



NOTE: If No to a. and b., and no waiver has been requested in an Exhibit, this application is unacceptable for filing. See 47 C.F.R. Section 74.1232(d).

If No to a. and Yes to b. applicant is prohibited from receiving any support, before or after construction, either directly or indirectly from the commercial primary station being rebroadcast or from any person or entity having any interest whatsoever, or any connection with the primary FM station. Interested and connected parties include group owners, corporate parents, shareholders, officers, directors, employees, general and limited partners, family members and business associates. See 47 C.F.R. Section 74.1232(e).

| | | |
|-----|--|--|
| 4. | The applicant, if for a commercial FM translator station with a coverage contour extending beyond the protected contour of the commercial primary station being rebroadcast, certifies that it has not received any support, before or after constructing, directly or indirectly, from the licensee/permittee of the primary station or any person with an interest in or connection with the licensee or permittee of the primary station, except for technical assistance as provided for under 47 C.F.R. Section 74.1232(e). | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 5] |
| 5. | For applicants proposing translator rebroadcasts that are not the licensee of the primary station, the applicant certifies that written authority has been obtained from the licensee of the station whose programs are to be retransmitted. If No, this application is unacceptable for filing. | <input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A |
| 6. | <p>Character Issues. Applicant certifies that neither applicant nor any party to the application has or has had any interest in or connection with:</p> <p>a. any broadcast application in any proceeding where character issues were left unresolved or were resolved adversely against the applicant or party to the application; or</p> <p>b. any pending broadcast application in which character issues have been raised.</p> | <input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 6] |
| 7. | <p>Adverse Findings. Applicant certifies that, with respect to the applicant, any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.</p> <p>If the answer is "No," attach as an Exhibit a full disclosure concerning the persons and matters involved, including an identification of the court or administrative body and the proceeding (by dates and file numbers), and a description of the disposition of the matter. Where the requisite information has been earlier disclosed in connection with another application or as required by 47 C.F.R. Section 1.65, the applicant need only provide: (i) an identification of that previous submission by reference to the file number in the case of an application, the call letters of the station regarding which the application or Section 1.65 information was filed, and date of filing; and (ii) the disposition of the previously reported matter.</p> | <input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 7] |
| 8. | Alien Ownership and Control. Applicant certifies that it complies with the provisions of Section 310 of the Communications Act of 1934, as amended, relating to interests of aliens and foreign governments. | <input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 8] |
| 9. | Program Service Certification. Applicant certifies that it is cognizant of and will comply with its obligations as a Commission licensee to present a program service responsive to the issues of public concern facing the station's community of license and service area. | <input checked="" type="radio"/> Yes <input type="radio"/> No |
| 10. | Local Public Notice. Applicant certifies compliance with the public notice requirements of 47 C.F.R. Section 73.3580. | <input checked="" type="radio"/> Yes <input type="radio"/> No |

| | |
|--|---|
| <p>11. Auction Authorization. If the application is being submitted to obtain a construction permit for which the applicant was the winning bidder in an auction, then the applicant certifies, pursuant to 47 C.F.R. Section 73.5005(a), that it has attached an exhibit containing the information required by 47 C.F.R. Sections 1.2107(d), 1.2110(i), 1.2112(a) and 1.2112(b), if applicable.</p> <p>An exhibit is required unless this question is inapplicable.</p> | <p><input type="radio"/> Yes <input type="radio"/> No</p> <p><input checked="" type="radio"/> N/A</p> <p>See Explanation in [Exhibit 9]</p> |
| <p>12. Anti-Drug Abuse Act Certification. Applicant certifies that neither applicant nor any party to the application is subject to denial of federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862.</p> | <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> |
| <p>13. Equal Employment Opportunity (EEO). If the applicant proposes to employ five or more full-time employees, applicant certifies that it is filing simultaneously with this application a Model EEO Program Report on FCC Form 396-A.</p> | <p><input type="radio"/> Yes <input type="radio"/> No</p> <p><input checked="" type="radio"/> N/A</p> |

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

| | |
|---|--|
| <p>Typed or Printed Name of Person Signing THOMAS J KIGIN</p> | <p>Typed or Printed Title of Person Signing EXECUTIVE VICE PRESIDENT</p> |
| <p>Signature</p> | <p>Date 4/17/2006</p> |

SECTION III - PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

| | | |
|--|---|-----------------------------|
| <p>Name KATE MICHLER</p> | <p>Relationship to Applicant (e.g., Consulting Engineer) TECHNICAL CONSULTANT</p> | |
| <p>Signature</p> | <p>Date 4/6/2006</p> | |
| <p>Mailing Address DOUG VERNIER TELECOMMUNICATION CONSULTANTS 721 WEST 1ST STREET, SUITE A</p> | | |
| <p>City CEDAR FALLS</p> | <p>State or Country (if foreign address) IA</p> | <p>Zip Code 50613 -</p> |
| <p>Telephone Number (include area code) 3192668402</p> | <p>E-Mail Address (if available) KMICHLER@V-SOFT.COM</p> | |

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

Section III-A - Engineering

TECHNICAL SPECIFICATIONS

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1. Channel: 283

2. Primary Station:

| | | | |
|-----------|-------------|-------|---------|
| Call Sign | City | State | Channel |
| KSJN | MINNEAPOLIS | MN | 258 |

3. Delivery Method (Select One):
 Off-air Microwave Satellite Via Other

4. Antenna Location Coordinates: (NAD 27)

Latitude:
 Degrees 46 Minutes 0 Seconds 51 North South

Longitude:
 Degrees 92 Minutes 56 Seconds 35 West East

5. Antenna Structure Registration Number:
 Not Applicable Notification filed with FAA

6. Antenna Location Site Elevation Above Mean Sea Level: 315 meters

7. Overall Tower Height Above Ground Level: 46 meters

8. Height of Radiation Center Above Ground Level: 45 meters(H) 45 meters(V)

9. Effective Radiated Power: 0.055 kW(H) 0.055 kW(V)

10. Transmitting Antenna:
 Before selecting Directional "Off-the-Shelf", refer to "Search for Antenna Information" under CDBS Public Access (http://svartifoss2.fcc.gov/prod/cdbforms/pubacc/prod/cdb_pa.htm). Make sure that the Standard Pattern is marked Yes and that the relative field values shown match your values. Enter the Manufacturer (Make) and Model exactly as displayed in the Antenna Search.

Nondirectional Directional "Off-the-shelf" Directional composite

Manufacturer ERI Model 100

Rotation:degrees No Rotation

| Degrees | Value | Degrees | Value | Degrees | Value | Degrees | Value | Degrees | Value | Degrees | Value |
|---------------------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|
| 0 | | 10 | | 20 | | 30 | | 40 | | 50 | |
| 60 | | 70 | | 80 | | 90 | | 100 | | 110 | |
| 120 | | 130 | | 140 | | 150 | | 160 | | 170 | |
| 180 | | 190 | | 200 | | 210 | | 220 | | 230 | |
| 240 | | 250 | | 260 | | 270 | | 280 | | 290 | |
| 300 | | 310 | | 320 | | 330 | | 340 | | 350 | |
| Additional Azimuths | | | | | | | | | | | |

Relative Field Polar Plot

11. For FM Boosters and Fill-in translators only. Applicant certifies that the proposal is for a fill-in translator or booster station entirely within the primary station's protected contour. Yes No

N/A

See Explanation in [Exhibit 10];

12. **Interference.** The proposed facility complies with all of the following applicable rule sections. Check all that apply:

Yes No

See Explanation in [Exhibit 11]

Overlap Requirements.

a) 47 C.F.R. Section 74.1204

[Exhibit 12]

Exhibit Required.

Television Channel 6 Protection.

b) 47 C.F.R. Section 74.1205 with respect to station(s)

[Exhibit 13]

Exhibit Required.

13. **Unattended operation.** Applicant certifies that unattended operation is not proposed, or if this application proposes unattended operation, the applicant certifies that it will comply with the requirements of 47 C.F.R. Section 74.1234.

Yes No

See Explanation in [Exhibit 14]

14. **Multiple Translators.** Applicant certifies that it does not have any interest in an application or an authorization for an FM translator station that serves substantially the same area and rebroadcasts the same signal as the proposed FM translator station.

Yes No

See Explanation in [Exhibit 15]

15. **Environmental Protection Act.** Applicant certifies that the proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., the facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments). Unless the applicant can determine compliance through the use of the RF worksheets in Appendix A, an **Exhibit is required.**

Yes No

See Explanation in [Exhibit 16]

By checking "Yes" above, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.

PREPARER'S CERTIFICATION ON PAGE 4 MUST BE COMPLETED AND SIGNED.

Section IV -- Noncommercial Educational Point System Factors - -New and Major Change Applications on Reserved Channels Only (used to select among mutually exclusive applications for new stations and major modifications) **NOTE:** Applicants will not received any additional points for amendments made after the close of the application filing window.

Preliminary Matter: Does this application provide fill-in service only?

Yes No

| | |
|--|---|
| <p>1. Established Local Applicant: Applicant certifies that for at least the 24 months immediately prior to application, and continuing through the present, it qualifies as a local applicant pursuant to 47 C.F.R. Section 73.7000, that its governing documents require that such localism be maintained, and that it has placed documentation of its qualifications as an established local applicant in a local public inspection file and has submitted to the Commission copies of the documentation.</p> | <p><input checked="" type="radio"/></p> |
| <p>2. Diversity of Ownership: Applicant certifies that the principal community (city grade) contour of the proposed station does not overlap the principal community contour of any other authorized radio station (including AM, FM, and non-fill-in FM translator stations, commercial or noncommercial) in which any party to the application has an attributable interest as defined in 47 C.F.R. Section 73.3555, that its governing documents require that such diversity qualification in a local public inspection file and has submitted to the Commission copies of the documentation.</p> | <p><input type="radio"/> Yes <input type="radio"/> No</p> |
| <p>3. State-wide Network: Applicant certifies that (a) it has NOT claimed a credit for diversity of ownership above; (b) it is one of the three specific types of organizations described in 47 C.F.R. Section 73.7003(b)(3); and (c) it has placed documentation of its qualifications in a local public inspection file and has submitted to the Commission copies of the documentation.</p> | <p><input type="radio"/> Yes <input type="radio"/> No</p> |
| <p>4. Technical Parameters: Applicant certifies that the numbers in the boxes below accurately reflect the new (increased) area and population that its proposal would serve with a 60 dBu signal measured in accordance with the standard predicted contours in 47 C.F.R. Section 73.713(c) and that it has documented the basis for its calculations in the local public inspection file and has submitted copies to the Commission. Major modification applicants should include the area of proposed increase only (exclude the station's existing service area). (Points, if any, will be determined by FCC)</p> | <p><input type="radio"/> Yes <input type="radio"/> No</p> |
| <p>New (increased) area served in square kilometers (excluding areas of water):</p> | |
| <p>Population served based on the most recent census block data from the United States Bureau of Census using the centroid method:</p> | |
| <p>Tie Breakers</p> | |
| <p>5. Existing Authorizations. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of relevant broadcast stations. FM translator applicants should count all attributable full service radio stations, AM and FM, commercial and noncommercial and FM translator stations other than fill-in stations.</p> <p>(number of attributable commercial and non-commercial licenses and construction permits)</p> <p>b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of FM translators.</p> | |
| <p>6. Pending Applications. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, pending applications for new or major changes to the following number of relevant broadcast stations, AM and FM, commercial and non-commercial and FM translator stations other than fill-in stations.</p> <p>(number of attributable commercial and non-commercial applications)</p> <p>b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date of filing, existing authorizations for the following number of FM translators.</p> | |

Section VI -- Certification

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

| | |
|---|--|
| Typed or Printed Name of Person Signing THOMAS J KIGIN | Typed or Printed Title of Person Signing EXECUTIVE VICE PRESIDENT |
| Signature | Date 4/17/2006 |

Exhibits

Exhibit 1

Description: ENGINEERING STATEMENT

Attachment 1

| Description |
|--|
| <u>Exhibit #1, Engineering Statement</u> |

Exhibit 12

Description: OVERLAP REQUIREMENTS

Attachment 12

| Description |
|--|
| <u>Exhibit #12, Overlap Requirements</u> |

Exhibit 16

Description: RF EMISSIONS COMPLIANCE STATEMENT

Attachment 16

| Description |
|---|
| <u>Exhibit #16, RF Emissions Compliance Statement</u> |

ENGINEERING STATEMENT

Concerning the Application of
Minnesota Public Radio
To Make a Minor Modification to a
Construction Permit
K283AN
BNPFT-20030828AQS
A Non-Commercial FM Translator
Serving Hinckley, Minnesota
April 2006

Channel 283D

0.055 kW ERP H & V

This engineering statement supports the application filed by Minnesota Public Radio to make a minor modification to the construction permit for K283AN, a non-commercial FM translator serving Hinckley, Minnesota. The instant proposal moves the transmitter location, decreases antenna height above mean sea level and average terrain and increases the ERP to 0.055 kW.

A 60 dBu change area map is included as Page #2. A total of 12 evenly spaced radials were used to determine the antenna height above average terrain. The N.G.D.C. 30 arc second database was employed to determine the elevations along the radials that were averaged using the required four-point interpolation method. The resulting averaged radial antenna heights were employed using the Commission's own TVFMINT algorithm to project the distances to signal contours. A tabular listing of the distance to the one mV/m contour of the modified facility can be found on page #3 of this exhibit.

Exhibit #12 is an Allocation Report. The first page is a computer channel study of all stations having a frequency and distance relationship. The exhibit gives current operating powers, HAAT's bearings and distances. (All distances were computed according to the method described under Section 73.208 of the Commission's Rules.) The second page is a narrative of the methods and conventions used in the report. Pages #3-#6 are a map and FMOVER table to the proposed translator's relationship with third adjacent translator W280DF.


The proposed translator is located 249.8 kilometers from the US border with Canada and the 34 dBu interference contour does not extend past 60 kilometers in any direction. See distance to contour table on Page #7 of Exhibit #12. There are no pertinent I.F. relationships and the translator is okay with regard to Mexico, AM stations, FCC monitoring stations, Table Mountain and the West Virginia Quiet Zone.

Exhibit #16 is an R.F. emissions compliance statement.

Page #4 of Exhibit #1 is a statement of the qualifications of the preparer.

Kate Michler


Ex #1, Pg #2
K283AN Proposed 60 dBu Change Area



K283ANNew
 Latitude: 46-00-51 N
 Longitude: 092-56-35 W
 ERP: 0.055 kW
 Channel: 283
 Frequency: 104.5 MHz
 AMSL Height: 360.0 m
 HAAT: 45.75 m
 Horiz. Pattern: Omni
 Vert. Pattern: No
 Pop = 2,281

K283AN.C
 BNPFT20030828AQS
 Latitude: 45-58-36 N
 Longitude: 092-53-47 W
 ERP: 0.027 kW
 Channel: 283
 Frequency: 104.5 MHz
 AMSL Height: 371.0 m
 HAAT: 66.17 m
 Horiz. Pattern: Omni
 Vert. Pattern: No
 Pop = 833

4/6/2006



N. Lat. = 46 00 51 W. Lng. = 92 56 35
 HAAT and Distance to Contour - FCC Method - 30 Arc. Sec.
 K283AN - Minor change application

| Azi. | AV EL | HAAT | ERP kW | dBk | Field | 60-F5 |
|------|-------|------|--------|--------|-------|-------|
| 000 | 339.0 | 21.0 | 0.0550 | -12.60 | 1.000 | 4.83 |
| 030 | 316.2 | 43.8 | 0.0550 | -12.60 | 1.000 | 5.84 |
| 060 | 312.7 | 47.3 | 0.0550 | -12.60 | 1.000 | 6.07 |
| 090 | 303.0 | 57.0 | 0.0550 | -12.60 | 1.000 | 6.68 |
| 120 | 292.0 | 68.0 | 0.0550 | -12.60 | 1.000 | 7.26 |
| 150 | 294.8 | 65.2 | 0.0550 | -12.60 | 1.000 | 7.11 |
| 180 | 299.1 | 60.9 | 0.0550 | -12.60 | 1.000 | 6.89 |
| 210 | 299.3 | 60.7 | 0.0550 | -12.60 | 1.000 | 6.88 |
| 240 | 313.8 | 46.2 | 0.0550 | -12.60 | 1.000 | 6.00 |
| 270 | 327.5 | 32.5 | 0.0550 | -12.60 | 1.000 | 5.02 |
| 300 | 336.9 | 23.1 | 0.0550 | -12.60 | 1.000 | 4.83 |
| 330 | 336.7 | 23.3 | 0.0550 | -12.60 | 1.000 | 4.83 |

Ave E1= 314.25 M HAAT= 45.75 M AMSL= 360 M

Declaration:

I, Katherine A. Michler, have received a Bachelor of Science degree from the University of Northern Iowa, and;

That, I declare that I have received training as a technical consultant as a member of the staff of Doug Vernier Telecommunications Consultants, and;

That, I have apprenticed under Douglas Vernier for over eight years, and;

That, he has been active in broadcast consulting for over 30 years, and;


That, his qualifications are a matter of record with the Federal Communications Commission, and;

That, I am an Associate Member (#20792) of the Society of Broadcast Engineers, Indianapolis, Indiana, and;

That, the consulting firm of Doug Vernier Telecommunications Consultants has been retained by Minnesota Public Radio, St. Paul, Minnesota, and;

That, I have personally prepared these engineering showings, the technical information contained in same and the facts stated within are true to my knowledge, and;

That, under penalty of perjury, I declare that the foregoing is correct.

 _____ Katherine A. Michler

Executed on April 5, 2006

Exhibit #12

Minnesota Public Radio
Hinckley, MN Channel 283

REFERENCE
46 00 51 N.
92 56 35 W.

CH# 283D - 104.5 MHz, Pwr= 0.055 kw, HAAT=45.75 M, COR= 360 M
Average Protected F(50-50)= 5.97 km
Ave. F(50-10) 40 dBu= 19.9 54 dBu= 8.5 80 dBu= 2.0 100 dBu= .5

DISPLAY DATES
DATA 04-06-06
SEARCH 04-06-06

| CH CITY | CALL | TYPE STATE | AZI. <-- | DIST FILE # | LAT. LNG. | Pwr(kw) HAAT(M) | COR(M) INT(km) | PRO(km) LICENSEE | *OUT* (Overlap in km) |
|-------------------------|--------|---------------|----------------|----------------------------|----------------------|--------------------|-------------------|------------------------------------|--------------------------|
| 283D Hinckley | K283AN | CP MN | 139.1 319.2 | 5.52 BNPFT20030828AQS | 45 58 36 92 53 47 | 0.027 42 | 371 15.4 | 4.8 Minnesota Public Radio | -23.22< |
| 280D Sandstone | W280DF | LIC MN | 26.0 206.1 | 14.55 BMLFT20021209ABJ | 46 07 54 92 51 37 | 0.038 53 | 375 0.4 | 5.9 Refuge Media Group | 8.16 |
| 284C St. Cloud | KCLDFM | LIC MN | 248.4 67.2 | 131.71 BLH19910913KB | 45 34 03 94 30 43 | 100.000 297 | 658 104.8 | 72.2 Leighton Enterprises, Inc. | 51.37 |
| 286C1 Duluth | KKCB | LIC MN | 36.1 216.7 | 107.17 BLH19830311AG | 46 47 21 92 06 51 | 100.000 339 | 544 10.7 | 75.3 Cc Licenses, Llc | 31.35 |
| 281C1 St. Louis Park | KZJK | LIC MN | 187.6 7.5 | 107.17 BLH19960411KC | 45 03 30 93 07 27 | 89.000 317 | 593 10.1 | 72.5 The Audio House, Inc. | 34.15 |
| 285C3 Balsam Lake | WLMXFM | LIC WI | 134.7 315.2 | 82.44 BLH19970224KB | 45 29 27 92 11 32 | 22.000 105 | 479 4.0 | 38.8 Quarnstrom Media Group, L1 | 43.09 |
| 283D Minneapolis | AP283 | APP MN | 191.5 11.2 | 118.32 BNPFT20030317LRF | 44 58 14 93 14 31 | 0.099 -22 | 258 18.5 | 5.6 Regents of The University | 89.56 |
| 283D Minneapolis | AP283 | APP MN | 191.5 11.2 | 118.32 BNPFT20030829ATV | 44 58 14 93 14 31 | 0.099 9 | 289 18.5 | 5.6 Regents of The University | 89.56 |
| 282C2 Breezy Point | KLKS | LIC MN | 303.6 122.6 | 120.19 BLH19931014KF | 46 36 13 94 15 04 | 50.000 160 | 526 79.5 | 53.4 Lakes Broadcasting Group, | 59.92 |
| 282C2 Two Harbors | KZIO | LIC MN | 35.2 215.9 | 126.71 BLH19960321KD | 46 56 28 91 58 58 | 50.000 88 | 470 67.3 | 42.5 Red Rock Radio Corp. | 75.98 |
| 283C Eau Claire | WAXX | LIC WI | 133.4 314.8 | 215.96 BLH7142 | 44 39 51 90 57 41 | 100.000 576 | 867 196.2 | 90.9 Maverick Media Of Eau Clai | 101.19 |

ERP and HAAT are on direct line to and from reference station.

Incoming contour overlap is ignored.

**"affixed to 'IN' or 'Out' values = site inside protected contour. "<" = contour overlap

HOW TO READ THE FM COMPUTER PRINT-OUT

The computer printout should be self-explanatory for the most part. The parameters of the station being checked, (reference station) are printed in the heading. The 60 dBu protected contour is predicted from the Commission's F(50-50) table, while the 40, 54, 80 and 100 dBu contours are interference contours derived from the Commission's F(50-10) table. Contour distances are in kilometers and are predicted using spline interpolation from data points identical to those published in Report No. RS 76-01 by Gary C. Kalagian. Critical contour distances are determined using the Commission's TVFMINT FORTRAN subroutine. When interference contour distances are less than 16 kilometers the F(50-50) tables are used. If signal contour distances are less than 1.6 km the free-space equation is used.

The column labeled "** OUT **" shows the distance in kilometers of overlap or clearance between the reference station's interference contour and the database station's protected contour. (All distances are derived by the method detailed in Sec. 73.208 of the Rules and Regulations as amended in Docket 80-90.) Therefore, the column is a measure of outgoing interference. Negative distance figures in this column indicate outgoing overlap interference. Listed antenna heights are the average heights of eight standard radials as found in the Commission's records unless otherwise noted, in which case the specific antenna heights and the DA power, if applicable, along the straight line azimuths between the reference station and the database station are used and visa versa.

Under the "AZIMUTH" column, the first row of numbers indicate the bearings from True North of the data base stations in relationship with the reference station, while the numbers in the second row indicate the reverse bearings from the database station to the reference station.

The columns labeled "INT" and "PRO" hold the distance in kilometers of the appropriate interference contour and the protected contour of a data base station.

The first three letters of the "TYPE" column identify the current FCC status of the stations. The fourth letter will be a "D" or "Z" (Sec. 73.215) if the facility is directional. The fifth letter will be an E, H or V depending on the type of antenna polarization. The sixth letter will be a "Y" if the antenna uses beam tilt.

FMCommander Allocation Study
04-06-2006

K283AN CH 283 D
0.055 kW 360 M COR
Prot. = 60 dBu
Intef. = 100 dBu

W280DF CH 280 D BMLFT20021209ABJ
0.038 kW, 375 M COR
Prot. = 60 dBu
Intef. = 100 dBu

Scale = 1:250,000



04-06-2006 30 Arc-Sec. Sec. Terrain Data

W280DF BMLFT20021209ABJ
 Channel = 280D
 Max ERP = 0.038 kW
 RCAMSL = 375 M
 N. Lat = 46 07 54
 W. Lng = 92 51 37
 Protected
 60 dBu

K283AN
 Channel = 283D
 Max ERP = 0.055 kW
 RCAMSL = 360 M
 N. Lat = 46 00 51
 W. Lng = 92 56 35
 Interfering
 100 dBu

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 146.0 | 000.0380 | 0061.7 | 006.3 | 051.8 | 000.0550 | 0047.0 | 012.6 | 47.29 |
| 147.0 | 000.0380 | 0061.3 | 006.3 | 051.6 | 000.0550 | 0047.0 | 012.5 | 47.45 |
| 148.0 | 000.0380 | 0060.7 | 006.3 | 051.4 | 000.0550 | 0046.9 | 012.4 | 47.57 |
| 149.0 | 000.0380 | 0060.2 | 006.3 | 051.3 | 000.0550 | 0046.9 | 012.3 | 47.73 |
| 150.0 | 000.0380 | 0060.0 | 006.3 | 051.2 | 000.0550 | 0046.9 | 012.2 | 47.89 |
| 151.0 | 000.0380 | 0060.1 | 006.3 | 051.1 | 000.0550 | 0046.9 | 012.1 | 48.06 |
| 152.0 | 000.0380 | 0060.1 | 006.3 | 051.0 | 000.0550 | 0046.9 | 012.0 | 48.22 |
| 153.0 | 000.0380 | 0060.1 | 006.3 | 050.9 | 000.0550 | 0046.9 | 011.9 | 48.39 |
| 154.0 | 000.0380 | 0060.3 | 006.3 | 050.8 | 000.0550 | 0046.9 | 011.8 | 48.55 |
| 155.0 | 000.0380 | 0060.5 | 006.3 | 050.8 | 000.0550 | 0046.9 | 011.7 | 48.72 |
| 156.0 | 000.0380 | 0060.7 | 006.3 | 050.7 | 000.0550 | 0046.9 | 011.6 | 48.90 |
| 157.0 | 000.0380 | 0060.9 | 006.3 | 050.6 | 000.0550 | 0046.9 | 011.5 | 49.07 |
| 158.0 | 000.0380 | 0061.1 | 006.3 | 050.4 | 000.0550 | 0046.9 | 011.4 | 49.25 |
| 159.0 | 000.0380 | 0061.3 | 006.3 | 050.3 | 000.0550 | 0046.9 | 011.2 | 49.42 |
| 160.0 | 000.0380 | 0061.4 | 006.3 | 050.2 | 000.0550 | 0046.9 | 011.1 | 49.59 |
| 161.0 | 000.0380 | 0061.5 | 006.3 | 050.0 | 000.0550 | 0046.9 | 011.0 | 49.76 |
| 162.0 | 000.0380 | 0061.5 | 006.3 | 049.8 | 000.0550 | 0046.9 | 010.9 | 49.94 |
| 163.0 | 000.0380 | 0061.8 | 006.3 | 049.6 | 000.0550 | 0046.9 | 010.8 | 50.11 |
| 164.0 | 000.0380 | 0062.3 | 006.4 | 049.5 | 000.0550 | 0047.2 | 010.7 | 50.36 |
| 165.0 | 000.0380 | 0062.9 | 006.4 | 049.4 | 000.0550 | 0047.2 | 010.6 | 50.55 |
| 166.0 | 000.0380 | 0063.5 | 006.4 | 049.2 | 000.0550 | 0047.2 | 010.5 | 50.74 |
| 167.0 | 000.0380 | 0064.4 | 006.5 | 049.2 | 000.0550 | 0047.2 | 010.4 | 50.94 |
| 168.0 | 000.0380 | 0065.5 | 006.5 | 049.1 | 000.0550 | 0047.2 | 010.2 | 51.15 |
| 169.0 | 000.0380 | 0066.5 | 006.6 | 049.0 | 000.0550 | 0047.2 | 010.1 | 51.37 |
| 170.0 | 000.0380 | 0068.0 | 006.6 | 049.0 | 000.0550 | 0047.2 | 010.0 | 51.60 |
| 171.0 | 000.0380 | 0070.2 | 006.7 | 049.2 | 000.0550 | 0047.2 | 009.8 | 51.87 |
| 172.0 | 000.0380 | 0072.6 | 006.8 | 049.4 | 000.0550 | 0047.2 | 009.7 | 52.16 |
| 173.0 | 000.0380 | 0074.0 | 006.9 | 049.3 | 000.0550 | 0047.2 | 009.5 | 52.40 |
| 174.0 | 000.0380 | 0075.0 | 007.0 | 049.1 | 000.0550 | 0047.2 | 009.4 | 52.62 |
| 175.0 | 000.0380 | 0075.2 | 007.0 | 048.8 | 000.0550 | 0047.2 | 009.3 | 52.81 |
| 176.0 | 000.0380 | 0075.5 | 007.0 | 048.4 | 000.0550 | 0047.7 | 009.2 | 53.10 |
| 177.0 | 000.0380 | 0075.5 | 007.0 | 047.9 | 000.0550 | 0047.7 | 009.1 | 53.28 |
| 178.0 | 000.0380 | 0076.0 | 007.0 | 047.5 | 000.0550 | 0047.7 | 009.0 | 53.47 |
| 179.0 | 000.0380 | 0076.4 | 007.0 | 047.1 | 000.0550 | 0048.3 | 008.9 | 53.78 |
| 180.0 | 000.0380 | 0077.2 | 007.1 | 046.7 | 000.0550 | 0048.3 | 008.8 | 53.99 |

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 181.0 | 000.0380 | 0078.1 | 007.1 | 046.4 | 000.0550 | 0049.0 | 008.7 | 54.34 |
| 182.0 | 000.0380 | 0079.1 | 007.1 | 046.0 | 000.0550 | 0049.0 | 008.5 | 54.56 |
| 183.0 | 000.0380 | 0079.8 | 007.2 | 045.6 | 000.0550 | 0049.0 | 008.4 | 54.77 |
| 184.0 | 000.0380 | 0078.9 | 007.1 | 044.7 | 000.0550 | 0049.6 | 008.4 | 54.99 |
| 185.0 | 000.0380 | 0077.2 | 007.1 | 043.7 | 000.0550 | 0050.2 | 008.4 | 55.13 |
| 186.0 | 000.0380 | 0075.0 | 007.0 | 042.6 | 000.0550 | 0050.4 | 008.4 | 55.16 |
| 187.0 | 000.0380 | 0073.2 | 006.9 | 041.6 | 000.0550 | 0050.3 | 008.4 | 55.14 |
| 188.0 | 000.0380 | 0071.5 | 006.8 | 040.7 | 000.0550 | 0049.9 | 008.4 | 55.07 |
| 189.0 | 000.0380 | 0069.8 | 006.7 | 039.7 | 000.0550 | 0049.3 | 008.4 | 54.96 |
| 190.0 | 000.0380 | 0068.4 | 006.7 | 038.8 | 000.0550 | 0048.5 | 008.4 | 54.80 |
| 191.0 | 000.0380 | 0067.0 | 006.6 | 037.9 | 000.0550 | 0047.2 | 008.4 | 54.54 |
| 192.0 | 000.0380 | 0065.7 | 006.5 | 037.0 | 000.0550 | 0045.7 | 008.4 | 54.22 |
| 193.0 | 000.0380 | 0064.7 | 006.5 | 036.1 | 000.0550 | 0044.0 | 008.4 | 53.89 |
| 194.0 | 000.0380 | 0063.9 | 006.4 | 035.3 | 000.0550 | 0042.7 | 008.4 | 53.63 |
| 195.0 | 000.0380 | 0062.9 | 006.4 | 034.5 | 000.0550 | 0042.7 | 008.4 | 53.63 |
| 196.0 | 000.0380 | 0061.9 | 006.3 | 033.7 | 000.0550 | 0042.2 | 008.4 | 53.50 |
| 197.0 | 000.0380 | 0060.9 | 006.3 | 032.9 | 000.0550 | 0042.5 | 008.4 | 53.55 |
| 198.0 | 000.0380 | 0060.1 | 006.3 | 032.1 | 000.0550 | 0043.1 | 008.4 | 53.66 |
| 199.0 | 000.0380 | 0059.2 | 006.2 | 031.3 | 000.0550 | 0043.6 | 008.4 | 53.74 |
| 200.0 | 000.0380 | 0058.4 | 006.2 | 030.5 | 000.0550 | 0043.6 | 008.4 | 53.71 |
| 201.0 | 000.0380 | 0057.6 | 006.1 | 029.8 | 000.0550 | 0043.8 | 008.5 | 53.71 |
| 202.0 | 000.0380 | 0056.6 | 006.1 | 029.0 | 000.0550 | 0043.5 | 008.5 | 53.56 |
| 203.0 | 000.0380 | 0055.6 | 006.0 | 028.2 | 000.0550 | 0042.5 | 008.5 | 53.28 |
| 204.0 | 000.0380 | 0054.6 | 006.0 | 027.5 | 000.0550 | 0042.5 | 008.6 | 53.19 |
| 205.0 | 000.0380 | 0053.5 | 005.9 | 026.8 | 000.0550 | 0041.3 | 008.6 | 52.83 |
| 206.0 | 000.0380 | 0052.6 | 005.9 | 026.1 | 000.0550 | 0040.1 | 008.7 | 52.48 |
| 207.0 | 000.0380 | 0051.9 | 005.8 | 025.5 | 000.0550 | 0038.6 | 008.7 | 52.07 |
| 208.0 | 000.0380 | 0051.2 | 005.8 | 024.8 | 000.0550 | 0038.6 | 008.8 | 51.99 |
| 209.0 | 000.0380 | 0050.5 | 005.8 | 024.2 | 000.0550 | 0036.5 | 008.8 | 51.42 |
| 210.0 | 000.0380 | 0049.8 | 005.7 | 023.5 | 000.0550 | 0036.5 | 008.9 | 51.32 |
| 211.0 | 000.0380 | 0048.7 | 005.7 | 023.0 | 000.0550 | 0034.2 | 008.9 | 50.64 |
| 212.0 | 000.0380 | 0047.6 | 005.6 | 022.4 | 000.0550 | 0032.4 | 009.0 | 50.05 |
| 213.0 | 000.0380 | 0046.8 | 005.5 | 021.9 | 000.0550 | 0032.4 | 009.1 | 49.93 |
| 214.0 | 000.0380 | 0046.3 | 005.5 | 021.3 | 000.0550 | 0031.1 | 009.1 | 49.53 |
| 215.0 | 000.0380 | 0045.9 | 005.5 | 020.8 | 000.0550 | 0031.1 | 009.2 | 49.44 |
| 216.0 | 000.0380 | 0045.3 | 005.4 | 020.3 | 000.0550 | 0030.0 | 009.2 | 49.05 |
| 217.0 | 000.0380 | 0044.6 | 005.4 | 019.8 | 000.0550 | 0030.0 | 009.3 | 48.93 |
| 218.0 | 000.0380 | 0043.9 | 005.4 | 019.3 | 000.0550 | 0028.9 | 009.4 | 48.80 |
| 219.0 | 000.0380 | 0043.3 | 005.3 | 018.8 | 000.0550 | 0028.9 | 009.4 | 48.68 |
| 220.0 | 000.0380 | 0042.9 | 005.3 | 018.4 | 000.0550 | 0027.9 | 009.5 | 48.58 |
| 221.0 | 000.0380 | 0042.7 | 005.3 | 017.9 | 000.0550 | 0027.9 | 009.5 | 48.49 |
| 222.0 | 000.0380 | 0042.6 | 005.3 | 017.4 | 000.0550 | 0027.1 | 009.6 | 48.40 |
| 223.0 | 000.0380 | 0042.3 | 005.2 | 017.0 | 000.0550 | 0027.1 | 009.6 | 48.31 |
| 224.0 | 000.0380 | 0042.0 | 005.2 | 016.5 | 000.0550 | 0027.1 | 009.7 | 48.20 |
| 225.0 | 000.0380 | 0041.6 | 005.2 | 016.1 | 000.0550 | 0026.6 | 009.8 | 48.09 |
| 226.0 | 000.0380 | 0041.2 | 005.2 | 015.8 | 000.0550 | 0026.6 | 009.8 | 47.97 |
| 227.0 | 000.0380 | 0040.8 | 005.1 | 015.4 | 000.0550 | 0026.2 | 009.9 | 47.84 |
| 228.0 | 000.0380 | 0040.4 | 005.1 | 015.1 | 000.0550 | 0026.2 | 010.0 | 47.71 |
| 229.0 | 000.0380 | 0040.0 | 005.1 | 014.7 | 000.0550 | 0026.2 | 010.1 | 47.59 |
| 230.0 | 000.0380 | 0039.7 | 005.1 | 014.4 | 000.0550 | 0025.9 | 010.1 | 47.47 |
| 231.0 | 000.0380 | 0039.4 | 005.1 | 014.0 | 000.0550 | 0025.9 | 010.2 | 47.35 |

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 232.0 | 000.0380 | 0039.2 | 005.0 | 013.7 | 000.0550 | 0025.9 | 010.3 | 47.24 |
| 233.0 | 000.0380 | 0039.1 | 005.0 | 013.4 | 000.0550 | 0025.6 | 010.3 | 47.13 |
| 234.0 | 000.0380 | 0038.8 | 005.0 | 013.1 | 000.0550 | 0025.6 | 010.4 | 47.01 |
| 235.0 | 000.0380 | 0038.4 | 005.0 | 012.8 | 000.0550 | 0025.6 | 010.5 | 46.87 |
| 236.0 | 000.0380 | 0038.0 | 004.9 | 012.6 | 000.0550 | 0025.6 | 010.5 | 46.74 |
| 237.0 | 000.0380 | 0037.6 | 004.9 | 012.3 | 000.0550 | 0025.6 | 010.6 | 46.61 |
| 238.0 | 000.0380 | 0037.2 | 004.9 | 012.1 | 000.0550 | 0025.6 | 010.7 | 46.47 |
| 239.0 | 000.0380 | 0036.9 | 004.9 | 011.9 | 000.0550 | 0025.6 | 010.8 | 46.34 |
| 240.0 | 000.0380 | 0036.5 | 004.8 | 011.7 | 000.0550 | 0025.6 | 010.9 | 46.20 |
| 241.0 | 000.0380 | 0036.1 | 004.8 | 011.5 | 000.0550 | 0025.6 | 010.9 | 46.07 |
| 242.0 | 000.0380 | 0035.8 | 004.8 | 011.3 | 000.0550 | 0025.8 | 011.0 | 45.94 |
| 243.0 | 000.0380 | 0035.7 | 004.8 | 011.1 | 000.0550 | 0025.8 | 011.1 | 45.83 |
| 244.0 | 000.0380 | 0035.5 | 004.8 | 010.9 | 000.0550 | 0025.8 | 011.2 | 45.71 |
| 245.0 | 000.0380 | 0035.3 | 004.8 | 010.7 | 000.0550 | 0025.8 | 011.2 | 45.58 |
| 246.0 | 000.0380 | 0035.1 | 004.7 | 010.5 | 000.0550 | 0025.8 | 011.3 | 45.46 |
| 247.0 | 000.0380 | 0034.9 | 004.7 | 010.3 | 000.0550 | 0025.9 | 011.4 | 45.34 |
| 248.0 | 000.0380 | 0034.9 | 004.7 | 010.1 | 000.0550 | 0025.9 | 011.5 | 45.23 |
| 249.0 | 000.0380 | 0034.8 | 004.7 | 009.9 | 000.0550 | 0025.9 | 011.5 | 45.11 |
| 250.0 | 000.0380 | 0034.7 | 004.7 | 009.8 | 000.0550 | 0025.9 | 011.6 | 44.99 |
| 251.0 | 000.0380 | 0034.3 | 004.7 | 009.7 | 000.0550 | 0025.9 | 011.7 | 44.86 |
| 252.0 | 000.0380 | 0033.9 | 004.7 | 009.6 | 000.0550 | 0025.9 | 011.8 | 44.73 |
| 253.0 | 000.0380 | 0033.7 | 004.6 | 009.5 | 000.0550 | 0025.9 | 011.9 | 44.60 |
| 254.0 | 000.0380 | 0033.6 | 004.6 | 009.4 | 000.0550 | 0025.7 | 011.9 | 44.48 |
| 255.0 | 000.0380 | 0033.4 | 004.6 | 009.3 | 000.0550 | 0025.7 | 012.0 | 44.36 |
| 256.0 | 000.0380 | 0033.2 | 004.6 | 009.2 | 000.0550 | 0025.7 | 012.1 | 44.24 |
| 257.0 | 000.0380 | 0033.0 | 004.6 | 009.1 | 000.0550 | 0025.7 | 012.2 | 44.12 |
| 258.0 | 000.0380 | 0032.9 | 004.6 | 009.0 | 000.0550 | 0025.7 | 012.3 | 44.01 |
| 259.0 | 000.0380 | 0032.8 | 004.6 | 008.9 | 000.0550 | 0025.7 | 012.3 | 43.89 |
| 260.0 | 000.0380 | 0032.6 | 004.6 | 008.8 | 000.0550 | 0025.7 | 012.4 | 43.77 |
| 261.0 | 000.0380 | 0032.4 | 004.5 | 008.8 | 000.0550 | 0025.7 | 012.5 | 43.66 |
| 262.0 | 000.0380 | 0032.3 | 004.5 | 008.7 | 000.0550 | 0025.7 | 012.6 | 43.54 |
| 263.0 | 000.0380 | 0032.2 | 004.5 | 008.6 | 000.0550 | 0025.7 | 012.7 | 43.43 |
| 264.0 | 000.0380 | 0032.4 | 004.5 | 008.5 | 000.0550 | 0025.5 | 012.7 | 43.32 |
| 265.0 | 000.0380 | 0032.6 | 004.6 | 008.3 | 000.0550 | 0025.5 | 012.8 | 43.22 |
| 266.0 | 000.0380 | 0033.0 | 004.6 | 008.1 | 000.0550 | 0025.5 | 012.9 | 43.12 |

N. Lat. = 46 00 51 W. Lng. = 92 56 35
 HAAT and Distance to Contour - FCC Method - 30 Arc. Sec.
 K283AN - Minor change application

| Azi. | AV EL | HAAT | ERP kw | dBk | Field | 34-F1 |
|------|-------|------|--------|--------|-------|-------|
| 000 | 339.0 | 21.0 | 0.0550 | -12.60 | 1.000 | 22.96 |
| 030 | 316.2 | 43.8 | 0.0550 | -12.60 | 1.000 | 27.60 |
| 060 | 312.7 | 47.3 | 0.0550 | -12.60 | 1.000 | 28.74 |
| 090 | 303.0 | 57.0 | 0.0550 | -12.60 | 1.000 | 31.88 |
| 120 | 292.0 | 68.0 | 0.0550 | -12.60 | 1.000 | 35.09 |
| 150 | 294.8 | 65.2 | 0.0550 | -12.60 | 1.000 | 34.31 |
| 180 | 299.1 | 60.9 | 0.0550 | -12.60 | 1.000 | 33.10 |
| 210 | 299.3 | 60.7 | 0.0550 | -12.60 | 1.000 | 33.05 |
| 240 | 313.8 | 46.2 | 0.0550 | -12.60 | 1.000 | 28.38 |
| 270 | 327.5 | 32.5 | 0.0550 | -12.60 | 1.000 | 23.79 |
| 300 | 336.9 | 23.1 | 0.0550 | -12.60 | 1.000 | 22.96 |
| 330 | 336.7 | 23.3 | 0.0550 | -12.60 | 1.000 | 22.96 |

Ave El= 314.25 M HAAT= 45.75 M AMSL= 360 M

EXHIBIT #16

R.F. EMISSION COMPLIANCE STATEMENT

Minnesota Public Radio
K283AN
BNPFT-20030828AQS
Channel 283 – 0.055 kW H & V
Hinckley, Minnesota
April 2006

The applicant proposes to mount two 10' masts atop a 140' water tower. One antenna will be mounted on each mast. Each ERI 100 antenna will have 2 individual translator frequencies di-plexed through it. The total ERP of all 4 translators is 0.220 kW. The center of radiation is 45 meters. Using the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering, and then by applying a combination of the element and array pattern as defined in E.P.A. study PB85-245868 ("**Engineering Assessment of the Potential Impact of the Federal Radiation Protection Guidance on the AM, FM and TV Broadcast Services**") the predicted level of RF non-ionization emissions at a position of 2 meters above ground (head-height) at the base of the tower for the proposed 1-bay ERI 100 (Type #3) antenna is 0.2385 microwatts per square centimeter, which is 0.0239 percent of the maximum for a controlled area and 0.1193 percent of maximum for an uncontrolled area.

Since the predicted level of emissions is less than 5% of maximum, no further calculations were deemed necessary.

The applicant will protect workers on the water tower by either reducing ERP or terminating transmission.

Consequently, it appears that the proposed FM translator will be in full compliance with the Commission's human exposure to radiofrequency electromagnetic field rules and regulations.