

Section II - Legal

<p>1. Certification. Applicant certifies that it has answered each question in this application based on its review of the application instructions and worksheets. Applicant further certifies that where it has made an affirmative certification below, this certification constitutes its representation that the application satisfies each of the pertinent standards and criteria set forth in the application instructions and worksheets.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>												
<p>2. Applicant is:</p> <table border="1" style="width:100%"> <tr> <td><input type="radio"/> an individual</td> <td><input type="radio"/> a general partnership</td> <td><input type="radio"/> a for-profit corporation</td> </tr> <tr> <td><input type="radio"/> a limited partnership</td> <td><input checked="" type="radio"/> a not-for-profit corporation</td> <td><input type="radio"/> a limited liability company (LLC/LC)</td> </tr> <tr> <td colspan="3"><input type="radio"/> other</td> </tr> <tr> <td colspan="2">a. If "other", describe nature of applicant in an Exhibit.</td> <td>[Exhibit 2]</td> </tr> </table>		<input type="radio"/> an individual	<input type="radio"/> a general partnership	<input type="radio"/> a for-profit corporation	<input type="radio"/> a limited partnership	<input checked="" type="radio"/> a not-for-profit corporation	<input type="radio"/> a limited liability company (LLC/LC)	<input type="radio"/> other			a. If "other", describe nature of applicant in an Exhibit.		[Exhibit 2]
<input type="radio"/> an individual	<input type="radio"/> a general partnership	<input type="radio"/> a for-profit corporation											
<input type="radio"/> a limited partnership	<input checked="" type="radio"/> a not-for-profit corporation	<input type="radio"/> a limited liability company (LLC/LC)											
<input type="radio"/> other													
a. If "other", describe nature of applicant in an Exhibit.		[Exhibit 2]											
<p>3. a. Applicant certifies that it is not the licensee or permittee of the commercial primary station being rebroadcast and that neither it nor any parties to the application have any interest in or connection with the commercial primary station being rebroadcast? See 47 C.F.R. Section 74.1232(d).</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 3]</p>												
<p>b. Applicant certifies that the coverage contour of the translator station will not extend beyond the protected contour of the commercial primary station being rebroadcast.</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 4]</p>												
<p>NOTE: If No to a. and b., and no waiver has been requested in an Exhibit, this application is unacceptable for filing. See 47 C.F.R. Section 74.1232(d).</p> <p>If No to a. and Yes to b. applicant is prohibited from receiving any support, before or after construction, either directly or indirectly from the commercial primary station being rebroadcast or from any person or entity having any interest whatsoever, or any connection with the primary FM station. Interested and connected parties include group owners, corporate parents, shareholders, officers, directors, employees, general and limited partners, family members and business associates. See 47 C.F.R. Section 74.1232(e).</p>													
<p>4. The applicant, if for a commercial FM translator station with a coverage contour extending beyond the protected contour of the commercial primary station being rebroadcast, certifies that it has not received any support, before or after constructing, directly or indirectly, from the licensee/permittee of the primary station or any person with an interest in or connection with the licensee or permittee of the primary station, except for technical assistance as provided for under 47 C.F.R. Section 74.1232(e).</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 5]</p>												
<p>5. For applicants proposing translator rebroadcasts that are not the licensee of the primary station, the applicant certifies that written authority has been obtained from the licensee of the station whose programs are to be retransmitted. If No, this application is unacceptable for filing.</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p>												
<p>6. Character Issues. Applicant certifies that neither applicant nor any party to the application has or has had any interest in or connection with:</p> <p>a. any broadcast application in any proceeding where character issues were left unresolved or were resolved adversely against the applicant or party to the application; or</p> <p>b. any pending broadcast application in which character issues have been raised.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 6]</p>												
<p>7. Adverse Findings. Applicant certifies that, with respect to the applicant, any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.</p> <p>If the answer is "No," attach as an Exhibit a full disclosure concerning the persons and matters involved, including an identification of the court or administrative body and the proceeding (by dates and file</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 7]</p>												

	numbers), and a description of the disposition of the matter. Where the requisite information has been earlier disclosed in connection with another application or as required by 47 C.F.R. Section 1.65, the applicant need only provide: (i) an identification of that previous submission by reference to the file number in the case of an application, the call letters of the station regarding which the application or Section 1.65 information was filed, and date of filing; and (ii) the disposition of the previously reported matter.	
8.	Alien Ownership and Control. Applicant certifies that it complies with the provisions of Section 310 of the Communications Act of 1934, as amended, relating to interests of aliens and foreign governments.	<input checked="" type="radio"/> Yes <input type="radio"/> No See Explanation in [Exhibit 8]
9.	Program Service Certification. Applicant certifies that it is cognizant of and will comply with its obligations as a Commission licensee to present a program service responsive to the issues of public concern facing the station's community of license and service area.	<input checked="" type="radio"/> Yes <input type="radio"/> No
10.	Local Public Notice. Applicant certifies compliance with the public notice requirements of 47 C.F.R. Section 73.3580.	<input checked="" type="radio"/> Yes <input type="radio"/> No
11.	Auction Authorization. If the application is being submitted to obtain a construction permit for which the applicant was the winning bidder in an auction, then the applicant certifies, pursuant to 47 C.F.R. Section 73.5005(a), that it has attached an exhibit containing the information required by 47 C.F.R. Sections 1.2107(d), 1.2110(i), 1.2112(a) and 1.2112(b), if applicable. An exhibit is required unless this question is inapplicable.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A See Explanation in [Exhibit 9]
12.	Anti-Drug Abuse Act Certification. Applicant certifies that neither applicant nor any party to the application is subject to denial of federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862.	<input checked="" type="radio"/> Yes <input type="radio"/> No
13.	Equal Employment Opportunity (EEO). If the applicant proposes to employ five or more full-time employees, applicant certifies that it is filing simultaneously with this application a Model EEO Program Report on FCC Form 396-A.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

Typed or Printed Name of Person Signing THOMAS J KIGIN	Typed or Printed Title of Person Signing EXECUTIVE VICE PRESIDENT
Signature	Date 5/5/2006

SECTION III - PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name MICHAEL HENDRICKSON	Relationship to Applicant (e.g., Consulting Engineer) CHIEF OF NETWORK ENGINEERING	
Signature	Date 5/3/2006	
Mailing Address MINNESOTA PUBLIC RADIO 480 CEDAR STREET		
City ST. PAUL	State or Country (if foreign address) MN	Zip Code 55101 -

Telephone Number (include area code)
6512901328

E-Mail Address (if available)
MHENDRICKSON@MPR.ORG

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

Section III-A - Engineering

TECHNICAL SPECIFICATIONS

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1. Channel: 283

2. Primary Station:

Call Sign	City	State	Channel
KSJN	MINNEAPOLIS	MN	258

3. Delivery Method (Select One):
 Off-air Microwave Satellite Via Other

4. Antenna Location Coordinates: (NAD 27)

Latitude:
 Degrees 46 Minutes 0 Seconds 51 North South

Longitude:
 Degrees 92 Minutes 56 Seconds 35 West East

5. Antenna Structure Registration Number:
 Not Applicable Notification filed with FAA

6. Antenna Location Site Elevation Above Mean Sea Level: 315 meters

7. Overall Tower Height Above Ground Level: 46 meters

8. Height of Radiation Center Above Ground Level: 45 meters(H) 45 meters(V)

9. Effective Radiated Power: 0.055 kW(H) 0.055 kW(V)

10. Transmitting Antenna:
 Before selecting Directional "Off-the-Shelf", refer to "Search for Antenna Information" under [CDBS Public Access](http://svartifoss2.fcc.gov/prod/cdbs/pubacc/prod/cdbs_pa.htm) (http://svartifoss2.fcc.gov/prod/cdbs/pubacc/prod/cdbs_pa.htm). Make sure that the Standard Pattern is marked Yes and that the relative field values shown match your values. Enter the Manufacturer (Make) and Model exactly as displayed in the Antenna Search.
 Nondirectional Directional "Off-the-shelf" Directional composite
 Manufacturer ERI Model 100
 Rotation:degrees No Rotation

Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value	Degrees	Value
0		10		20		30		40		50	
60		70		80		90		100		110	
120		130		140		150		160		170	
180		190		200		210		220		230	
240		250		260		270		280		290	
300		310		320		330		340		350	

Additional Azimuths

Relative Field Polar Plot

11. For FM Boosters and Fill-in translators only. Applicant certifies that the proposal is for a fill-in translator or booster station entirely within the primary station's protected contour. Yes No N/A

		See Explanation in [Exhibit 10];
12.	<p>Interference. The proposed facility complies with all of the following applicable rule sections. Check all that apply:</p> <p>Overlap Requirements. <input checked="" type="checkbox"/> a) 47 C.F.R. Section 74.1204 Exhibit Required.</p> <p>Television Channel 6 Protection. <input type="checkbox"/> b) 47 C.F.R. Section 74.1205 with respect to station(s) Exhibit Required.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 11]</p> <p>[Exhibit 12]</p> <p>[Exhibit 13]</p>
13.	<p>Unattended operation. Applicant certifies that unattended operation is not proposed, or if this application proposes unattended operation, the applicant certifies that it will comply with the requirements of 47 C.F.R. Section 74.1234.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 14]</p>
14.	<p>Multiple Translators. Applicant certifies that it does not have any interest in an application or an authorization for an FM translator station that serves substantially the same area and rebroadcasts the same signal as the proposed FM translator station.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 15]</p>
15.	<p>Environmental Protection Act. Applicant certifies that the proposed facility is excluded from environmental processing under 47 C.F.R. Section 1.1306 (i.e., the facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments). Unless the applicant can determine compliance through the use of the RF worksheets in Appendix A, an Exhibit is required.</p> <p>By checking "Yes" above, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>See Explanation in [Exhibit 16]</p>
<p>PREPARER'S CERTIFICATION ON PAGE 4 MUST BE COMPLETED AND SIGNED.</p>		

Section IV -- Noncommercial Educational Point System Factors - -New and Major Change Applications on Reserved Channels Only (used to select among mutually exclusive applications for new stations and major modifications) **NOTE:** Applicants will not received any additional points for amendments made after the close of the application filing window.

Preliminary Matter: Does this application provide fill-in service only?		<input type="radio"/> Yes <input type="radio"/> No
1.	<p>Established Local Applicant: Applicant certifies that for at least the 24 months immediately prior to application, and continuing through the present, it qualifies as a local applicant pursuant to 47 C.F.R. Section 73.7000, that its governing documents require that such localism be maintained, and that it has placed documentation of its qualifications as an established local applicant in a local public inspection file and has submitted to the Commission copies of the documentation.</p>	<input type="radio"/> Yes <input type="radio"/> No
2.	<p>Diversity of Ownership: Applicant certifies that the principal community (city grade) contour of the proposed station does not overlap the principal community contour of any other authorized radio station (including AM, FM, and non-fill-in FM translator stations, commercial or noncommercial) in which any party to the application has an attributable interest as defined in 47 C.F.R. Section 73.3555, that its governing documents require that such diversity qualification in a local public inspection file and has submitted to the Commission copies of the documentation.</p>	<input type="radio"/> Yes <input type="radio"/> No
3.	<p>State-wide Network: Applicant certifies that (a) it has NOT claimed a credit for diversity of ownership above; (b) it is one of the three specific types of organizations described in 47 C.F.R. Section 73.7003(b) (3); and (c) it has placed documentation of its qualifications in a local public inspection file and has submitted to the Commission copies of the documentation.</p>	<input type="radio"/> Yes <input type="radio"/> No
4.	<p>Technical Parameters: Applicant certifies that the numbers in the boxes below accurately reflect the new</p>	<input type="radio"/> Yes <input type="radio"/> No

(increased) area and population that its proposal would serve with a 60 dBu signal measured in accordance with the standard predicted contours in 47 C.F.R. Section 73.713(c) and that it has documented the basis for its calculations in the local public inspection file and has submitted copies to the Commission. Major modification applicants should include the area of proposed increase only (exclude the station's existing service area). (Points, if any, will be determined by FCC)	
New (increased) area served in square kilometers (excluding areas of water):	
Population served based on the most recent census block data from the United States Bureau of Census using the centroid method:	
Tie Breakers	
<p>5. Existing Authorizations. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of relevant broadcast stations. FM translator applicants should count all attributable full service radio stations, AM and FM, commercial and noncommercial and FM translator stations other than fill-in stations.</p> <p>(number of attributable commercial and non-commercial licenses and construction permits)</p> <p>b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, existing authorizations for the following number of FM translators.</p>	
<p>6. Pending Applications. a. By placing a number in the box, the applicant certifies that it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date filing, pending applications for new or major changes to the following number of relevant broadcast stations, AM and FM, commercial and non-commercial and FM translator stations other than fill-in stations.</p> <p>(number of attributable commercial and non-commercial applications)</p> <p>b. (Fill-in Applicants Only.) By placing a number in the box, the applicant certifies that, in addition to the station identified in 5(a), it and any persons and organizations with attributable interests in the applicant pursuant to 47 C.F.R. Section 73.3555 have, as of the date of filing, existing authorizations for the following number of FM translators.</p>	

Section VI -- Certification

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)	
Typed or Printed Name of Person Signing THOMAS J KIGIN	Typed or Printed Title of Person Signing EXECUTIVE VICE PRESIDENT
Signature	Date 04/17/2006

Exhibits

Exhibit 1
Description: EXH. 1 / K283AN AMENDMENT

THIS AMENDMENT IS FILED TO SUPPLY ADDITIONAL INFORMATION REGARDING RF RADIATION EXPOSURE AT THE PROPOSED SITE, RESPONSIVE TO SEC. III-A, ITEM 15.

Attachment 1

Attachment 12

Description

Exhibit #12, Overlap Requirements

Exhibit 16

Description: EXH. 16 / K283AN AMENDMENT

THE PROPOSED SITE IS ON THE TOP OF A WATER TOWER OWNED BY THE CITY OF HINCKLEY. THE ACCESS TO THE TOP OF THE WATER TOWER IS LOCKED, AND ONLY WORKERS APPROVED BY THE CITY OF HINCKLEY ARE PERMITTED ACCESS. THE APPLICANT HAS AGREED THAT ITS STATIONS WILL BE TURNED OFF AT ANY TIME WHEN WORK IS TO BE CONDUCTED AT THE TOP OF THE WATER TOWER WITHIN THE AREA WHERE WORKERS WOULD LIKELY BE EXPOSED TO EXCESSIVE RF RADIATION. EXCESS EXPOSURE WOULD ONLY AFFECT WORKERS IN THE CONTROLLED ACCESS AREA.

Attachment 16

Description
Exhibit #16, RF Emissions Compliance Statement

Exhibit #12

Minnesota Public Radio
Hinckley, MN Channel 283

REFERENCE CH# 283D - 104.5 MHz, Pwr= 0.055 kW, HAAT=45.75 M, COR= 360 M DISPLAY DATES
46 00 51 N. Average Protected F(50-50)= 5.97 km DATA 04-06-06
92 56 35 W. Ave. F(50-10) 40 dBu= 19.9 54 dBu= 8.5 80 dBu= 2.0 100 dBu= .5 SEARCH 04-06-06

CH CITY	CALL	TYPE STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kw) HAAT(M)	COR(M) INT(km)	PRO(km) LICENSEE	*OUT* (Overlap in km)
283D Hinckley	K283AN	CP MN	139.1 319.2	5.52 BNPFT20030828AQS	45 58 36 92 53 47	0.027 42	371 15.4	4.8 Minnesota Public Radio	-23.22<
280D Sandstone	W280DF	LIC MN	26.0 206.1	14.55 BMLFT20021209ABJ	46 07 54 92 51 37	0.038 53	375 0.4	5.9 Refuge Media Group	8.16
284C St. Cloud	KCLDFM	LIC MN	248.4 67.2	131.71 BLH19910913KB	45 34 03 94 30 43	100.000 297	658 104.8	72.2 Leighton Enterprises, Inc.	51.37
286C1 Duluth	KKCB	LIC MN	36.1 216.7	107.17 BLH19830311AG	46 47 21 92 06 51	100.000 339	544 10.7	75.3 Cc Licenses, Llc	31.35
281C1 St. Louis Park	KZJK	LIC MN	187.6 7.5	107.17 BLH19960411KC	45 03 30 93 07 27	89.000 317	593 10.1	72.5 The Audio House, Inc.	34.15
285C3 Balsam Lake	WLMXFM	LIC WI	134.7 315.2	82.44 BLH19970224KB	45 29 27 92 11 32	22.000 105	479 4.0	38.8 Quarnstrom Media Group, LI	43.09
283D Minneapolis	AP283	APP MN	191.5 11.2	118.32 BNPFT20030317LRF	44 58 14 93 14 31	0.099 -22	258 18.5	5.6 Regents of The University	89.56
283D Minneapolis	AP283	APP MN	191.5 11.2	118.32 BNPFT20030829ATV	44 58 14 93 14 31	0.099 9	289 18.5	5.6 Regents of The University	89.56
282C2 Breezy Point	KLKS	LIC MN	303.6 122.6	120.19 BLH19931014KF	46 36 13 94 15 04	50.000 160	526 79.5	53.4 Lakes Broadcasting Group,	59.92
282C2 Two Harbors	KZIO	LIC MN	35.2 215.9	126.71 BLH19960321KD	46 56 28 91 58 58	50.000 88	470 67.3	42.5 Red Rock Radio Corp.	75.98
283C Eau Claire	WAXX	LIC WI	133.4 314.8	215.96 BLH7142	44 39 51 90 57 41	100.000 576	867 196.2	90.9 Maverick Media Of Eau Clai	101.19

ERP and HAAT are on direct line to and from reference station.
Incoming contour overlap is ignored.
"*" affixed to 'IN' or 'OUT' values = site inside protected contour. "<" = contour overlap

HOW TO READ THE FM COMPUTER PRINT-OUT

The computer printout should be self-explanatory for the most part. The parameters of the station being checked, (reference station) are printed in the heading. The 60 dBu protected contour is predicted from the Commission's F(50-50) table, while the 40, 54, 80 and 100 dBu contours are interference contours derived from the Commission's F(50-10) table. Contour distances are in kilometers and are predicted using spline interpolation from data points identical to those published in Report No. RS 76-01 by Gary C. Kalagian. Critical contour distances are determined using the Commission's TVFMINT FORTRAN subroutine. When interference contour distances are less than 16 kilometers the F(50-50) tables are used. If signal contour distances are less than 1.6 km the free-space equation is used.

The column labeled "** OUT *" shows the distance in kilometers of overlap or clearance between the reference station's interference contour and the database station's protected contour. (All distances are derived by the method detailed in Sec. 73.208 of the Rules and Regulations as amended in Docket 80-90.) Therefore, the column is a measure of outgoing interference. Negative distance figures in this column indicate outgoing overlap interference. Listed antenna heights are the average heights of eight standard radials as found in the Commission's records unless otherwise noted, in which case the specific antenna heights and the DA power, if applicable, along the straight line azimuths between the reference station and the database station are used and visa versa.

Under the "AZIMUTH" column, the first row of numbers indicate the bearings from True North of the data base stations in relationship with the reference station, while the numbers in the second row indicate the reverse bearings from the database station to the reference station.

The columns labeled "INT" and "PRO" hold the distance in kilometers of the appropriate interference contour and the protected contour of a data base station.


The first three letters of the "TYPE" column identify the current FCC status of the stations. The fourth letter will be a "D" or "Z" (Sec. 73.215) if the facility is directional. The fifth letter will be an E, H or V depending on the type of antenna polarization. The sixth letter will be a "Y" if the antenna uses beam tilt.

FMCommander Allocation Study
04-06-2006

K283AN CH 283 D
0.055 kW 360 M COR
Prot. = 60 dBu
Intef. = 100 dBu

W280DF CH 280 D BMLFT20021209ABJ
0.038 kW, 375 M COR
Prot. = 60 dBu
Intef. = 100 dBu

Scale = 1:250,000



04-06-2006 30 Arc-Sec. Sec. Terrain Data

W280DF BMLFT20021209ABJ
 Channel = 280D
 Max ERP = 0.038 kW
 RCAMSL = 375 M
 N. Lat = 46 07 54
 W. Lng = 92 51 37
 Protected
 60 dBu

K283AN
 Channel = 283D
 Max ERP = 0.055 kW
 RCAMSL = 360 M
 N. Lat = 46 00 51
 W. Lng = 92 56 35
 Interfering
 100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
146.0	000.0380	0061.7	006.3	051.8	000.0550	0047.0	012.6	47.29
147.0	000.0380	0061.3	006.3	051.6	000.0550	0047.0	012.5	47.45
148.0	000.0380	0060.7	006.3	051.4	000.0550	0046.9	012.4	47.57
149.0	000.0380	0060.2	006.3	051.3	000.0550	0046.9	012.3	47.73
150.0	000.0380	0060.0	006.3	051.2	000.0550	0046.9	012.2	47.89
151.0	000.0380	0060.1	006.3	051.1	000.0550	0046.9	012.1	48.06
152.0	000.0380	0060.1	006.3	051.0	000.0550	0046.9	012.0	48.22
153.0	000.0380	0060.1	006.3	050.9	000.0550	0046.9	011.9	48.39
154.0	000.0380	0060.3	006.3	050.8	000.0550	0046.9	011.8	48.55
155.0	000.0380	0060.5	006.3	050.8	000.0550	0046.9	011.7	48.72
156.0	000.0380	0060.7	006.3	050.7	000.0550	0046.9	011.6	48.90
157.0	000.0380	0060.9	006.3	050.6	000.0550	0046.9	011.5	49.07
158.0	000.0380	0061.1	006.3	050.4	000.0550	0046.9	011.4	49.25
159.0	000.0380	0061.3	006.3	050.3	000.0550	0046.9	011.2	49.42
160.0	000.0380	0061.4	006.3	050.2	000.0550	0046.9	011.1	49.59
161.0	000.0380	0061.5	006.3	050.0	000.0550	0046.9	011.0	49.76
162.0	000.0380	0061.5	006.3	049.8	000.0550	0046.9	010.9	49.94
163.0	000.0380	0061.8	006.3	049.6	000.0550	0046.9	010.8	50.11
164.0	000.0380	0062.3	006.4	049.5	000.0550	0047.2	010.7	50.36
165.0	000.0380	0062.9	006.4	049.4	000.0550	0047.2	010.6	50.55
166.0	000.0380	0063.5	006.4	049.2	000.0550	0047.2	010.5	50.74
167.0	000.0380	0064.4	006.5	049.2	000.0550	0047.2	010.4	50.94
168.0	000.0380	0065.5	006.5	049.1	000.0550	0047.2	010.2	51.15
169.0	000.0380	0066.5	006.6	049.0	000.0550	0047.2	010.1	51.37
170.0	000.0380	0068.0	006.6	049.0	000.0550	0047.2	010.0	51.60
171.0	000.0380	0070.2	006.7	049.2	000.0550	0047.2	009.8	51.87
172.0	000.0380	0072.6	006.8	049.4	000.0550	0047.2	009.7	52.16
173.0	000.0380	0074.0	006.9	049.3	000.0550	0047.2	009.5	52.40
174.0	000.0380	0075.0	007.0	049.1	000.0550	0047.2	009.4	52.62
175.0	000.0380	0075.2	007.0	048.8	000.0550	0047.2	009.3	52.81
176.0	000.0380	0075.5	007.0	048.4	000.0550	0047.7	009.2	53.10
177.0	000.0380	0075.5	007.0	047.9	000.0550	0047.7	009.1	53.28
178.0	000.0380	0076.0	007.0	047.5	000.0550	0047.7	009.0	53.47
179.0	000.0380	0076.4	007.0	047.1	000.0550	0048.3	008.9	53.78
180.0	000.0380	0077.2	007.1	046.7	000.0550	0048.3	008.8	53.99

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
181.0	000.0380	0078.1	007.1	046.4	000.0550	0049.0	008.7	54.34
182.0	000.0380	0079.1	007.1	046.0	000.0550	0049.0	008.5	54.56
183.0	000.0380	0079.8	007.2	045.6	000.0550	0049.0	008.4	54.77
184.0	000.0380	0078.9	007.1	044.7	000.0550	0049.6	008.4	54.99
185.0	000.0380	0077.2	007.1	043.7	000.0550	0050.2	008.4	55.13
186.0	000.0380	0075.0	007.0	042.6	000.0550	0050.4	008.4	55.16
187.0	000.0380	0073.2	006.9	041.6	000.0550	0050.3	008.4	55.14
188.0	000.0380	0071.5	006.8	040.7	000.0550	0049.9	008.4	55.07
189.0	000.0380	0069.8	006.7	039.7	000.0550	0049.3	008.4	54.96
190.0	000.0380	0068.4	006.7	038.8	000.0550	0048.5	008.4	54.80
191.0	000.0380	0067.0	006.6	037.9	000.0550	0047.2	008.4	54.54
192.0	000.0380	0065.7	006.5	037.0	000.0550	0045.7	008.4	54.22
193.0	000.0380	0064.7	006.5	036.1	000.0550	0044.0	008.4	53.89
194.0	000.0380	0063.9	006.4	035.3	000.0550	0042.7	008.4	53.63
195.0	000.0380	0062.9	006.4	034.5	000.0550	0042.7	008.4	53.63
196.0	000.0380	0061.9	006.3	033.7	000.0550	0042.2	008.4	53.50
197.0	000.0380	0060.9	006.3	032.9	000.0550	0042.5	008.4	53.55
198.0	000.0380	0060.1	006.3	032.1	000.0550	0043.1	008.4	53.66
199.0	000.0380	0059.2	006.2	031.3	000.0550	0043.6	008.4	53.74
200.0	000.0380	0058.4	006.2	030.5	000.0550	0043.6	008.4	53.71
201.0	000.0380	0057.6	006.1	029.8	000.0550	0043.8	008.5	53.71
202.0	000.0380	0056.6	006.1	029.0	000.0550	0043.5	008.5	53.56
203.0	000.0380	0055.6	006.0	028.2	000.0550	0042.5	008.5	53.28
204.0	000.0380	0054.6	006.0	027.5	000.0550	0042.5	008.6	53.19
205.0	000.0380	0053.5	005.9	026.8	000.0550	0041.3	008.6	52.83
206.0	000.0380	0052.6	005.9	026.1	000.0550	0040.1	008.7	52.48
207.0	000.0380	0051.9	005.8	025.5	000.0550	0038.6	008.7	52.07
208.0	000.0380	0051.2	005.8	024.8	000.0550	0038.6	008.8	51.99
209.0	000.0380	0050.5	005.8	024.2	000.0550	0036.5	008.8	51.42
210.0	000.0380	0049.8	005.7	023.5	000.0550	0036.5	008.9	51.32
211.0	000.0380	0048.7	005.7	023.0	000.0550	0034.2	008.9	50.64
212.0	000.0380	0047.6	005.6	022.4	000.0550	0032.4	009.0	50.05
213.0	000.0380	0046.8	005.5	021.9	000.0550	0032.4	009.1	49.93
214.0	000.0380	0046.3	005.5	021.3	000.0550	0031.1	009.1	49.53
215.0	000.0380	0045.9	005.5	020.8	000.0550	0031.1	009.2	49.44
216.0	000.0380	0045.3	005.4	020.3	000.0550	0030.0	009.2	49.05
217.0	000.0380	0044.6	005.4	019.8	000.0550	0030.0	009.3	48.93
218.0	000.0380	0043.9	005.4	019.3	000.0550	0028.9	009.4	48.80
219.0	000.0380	0043.3	005.3	018.8	000.0550	0028.9	009.4	48.68
220.0	000.0380	0042.9	005.3	018.4	000.0550	0027.9	009.5	48.58
221.0	000.0380	0042.7	005.3	017.9	000.0550	0027.9	009.5	48.49
222.0	000.0380	0042.6	005.3	017.4	000.0550	0027.1	009.6	48.40
223.0	000.0380	0042.3	005.2	017.0	000.0550	0027.1	009.6	48.31
224.0	000.0380	0042.0	005.2	016.5	000.0550	0027.1	009.7	48.20
225.0	000.0380	0041.6	005.2	016.1	000.0550	0026.6	009.8	48.09
226.0	000.0380	0041.2	005.2	015.8	000.0550	0026.6	009.8	47.97
227.0	000.0380	0040.8	005.1	015.4	000.0550	0026.2	009.9	47.84
228.0	000.0380	0040.4	005.1	015.1	000.0550	0026.2	010.0	47.71
229.0	000.0380	0040.0	005.1	014.7	000.0550	0026.2	010.1	47.59
230.0	000.0380	0039.7	005.1	014.4	000.0550	0025.9	010.1	47.47
231.0	000.0380	0039.4	005.1	014.0	000.0550	0025.9	010.2	47.35

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
232.0	000.0380	0039.2	005.0	013.7	000.0550	0025.9	010.3	47.24
233.0	000.0380	0039.1	005.0	013.4	000.0550	0025.6	010.3	47.13
234.0	000.0380	0038.8	005.0	013.1	000.0550	0025.6	010.4	47.01
235.0	000.0380	0038.4	005.0	012.8	000.0550	0025.6	010.5	46.87
236.0	000.0380	0038.0	004.9	012.6	000.0550	0025.6	010.5	46.74
237.0	000.0380	0037.6	004.9	012.3	000.0550	0025.6	010.6	46.61
238.0	000.0380	0037.2	004.9	012.1	000.0550	0025.6	010.7	46.47
239.0	000.0380	0036.9	004.9	011.9	000.0550	0025.6	010.8	46.34
240.0	000.0380	0036.5	004.8	011.7	000.0550	0025.6	010.9	46.20
241.0	000.0380	0036.1	004.8	011.5	000.0550	0025.6	010.9	46.07
242.0	000.0380	0035.8	004.8	011.3	000.0550	0025.8	011.0	45.94
243.0	000.0380	0035.7	004.8	011.1	000.0550	0025.8	011.1	45.83
244.0	000.0380	0035.5	004.8	010.9	000.0550	0025.8	011.2	45.71
245.0	000.0380	0035.3	004.8	010.7	000.0550	0025.8	011.2	45.58
246.0	000.0380	0035.1	004.7	010.5	000.0550	0025.8	011.3	45.46
247.0	000.0380	0034.9	004.7	010.3	000.0550	0025.9	011.4	45.34
248.0	000.0380	0034.9	004.7	010.1	000.0550	0025.9	011.5	45.23
249.0	000.0380	0034.8	004.7	009.9	000.0550	0025.9	011.5	45.11
250.0	000.0380	0034.7	004.7	009.8	000.0550	0025.9	011.6	44.99
251.0	000.0380	0034.3	004.7	009.7	000.0550	0025.9	011.7	44.86
252.0	000.0380	0033.9	004.7	009.6	000.0550	0025.9	011.8	44.73
253.0	000.0380	0033.7	004.6	009.5	000.0550	0025.9	011.9	44.60
254.0	000.0380	0033.6	004.6	009.4	000.0550	0025.7	011.9	44.48
255.0	000.0380	0033.4	004.6	009.3	000.0550	0025.7	012.0	44.36
256.0	000.0380	0033.2	004.6	009.2	000.0550	0025.7	012.1	44.24
257.0	000.0380	0033.0	004.6	009.1	000.0550	0025.7	012.2	44.12
258.0	000.0380	0032.9	004.6	009.0	000.0550	0025.7	012.3	44.01
259.0	000.0380	0032.8	004.6	008.9	000.0550	0025.7	012.3	43.89
260.0	000.0380	0032.6	004.6	008.8	000.0550	0025.7	012.4	43.77
261.0	000.0380	0032.4	004.5	008.8	000.0550	0025.7	012.5	43.66
262.0	000.0380	0032.3	004.5	008.7	000.0550	0025.7	012.6	43.54
263.0	000.0380	0032.2	004.5	008.6	000.0550	0025.7	012.7	43.43
264.0	000.0380	0032.4	004.5	008.5	000.0550	0025.5	012.7	43.32
265.0	000.0380	0032.6	004.6	008.3	000.0550	0025.5	012.8	43.22
266.0	000.0380	0033.0	004.6	008.1	000.0550	0025.5	012.9	43.12

N. Lat. = 46 00 51 W. Lng. = 92 56 35
 HAAT and Distance to Contour - FCC Method - 30 Arc. Sec.
 K283AN - Minor change application

Azi.	AV EL	HAAT	ERP kW	dBk	Field	34-F1
000	339.0	21.0	0.0550	-12.60	1.000	22.96
030	316.2	43.8	0.0550	-12.60	1.000	27.60
060	312.7	47.3	0.0550	-12.60	1.000	28.74
090	303.0	57.0	0.0550	-12.60	1.000	31.88
120	292.0	68.0	0.0550	-12.60	1.000	35.09
150	294.8	65.2	0.0550	-12.60	1.000	34.31
180	299.1	60.9	0.0550	-12.60	1.000	33.10
210	299.3	60.7	0.0550	-12.60	1.000	33.05
240	313.8	46.2	0.0550	-12.60	1.000	28.38
270	327.5	32.5	0.0550	-12.60	1.000	23.79
300	336.9	23.1	0.0550	-12.60	1.000	22.96
330	336.7	23.3	0.0550	-12.60	1.000	22.96

Ave EL= 314.25 M HAAT= 45.75 M AMSL= 360 M

EXHIBIT #16

R.F. EMISSION COMPLIANCE STATEMENT

Minnesota Public Radio
K283AN
BNPFT-20030828AQS
Channel 283 – 0.055 kW H & V
Hinckley, Minnesota
April 2006

The applicant proposes to mount two 10' masts atop a 140' water tower. One antenna will be mounted on each mast. Each ERI 100 antenna will have 2 individual translator frequencies di-plexed through it. The total ERP of all 4 translators is 0.220 kW. The center of radiation is 45 meters. Using the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering, and then by applying a combination of the element and array pattern as defined in E.P.A. study PB85-245868 ("**Engineering Assessment of the Potential Impact of the Federal Radiation Protection Guidance on the AM, FM and TV Broadcast Services**") the predicted level of RF non-ionization emissions at a position of 2 meters above ground (head-height) at the base of the tower for the proposed 1-bay ERI 100 (Type #3) antenna is 0.2385 microwatts per square centimeter, which is 0.0239 percent of the maximum for a controlled area and 0.1193 percent of maximum for an uncontrolled area.

Since the predicted level of emissions is less than 5% of maximum, no further calculations were deemed necessary.

The applicant will protect workers on the water tower by either reducing ERP or terminating transmission.

Consequently, it appears that the proposed FM translator will be in full compliance with the Commission's human exposure to radiofrequency electromagnetic field rules and regulations.