




United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST TRANSLATOR/BOOSTER STATION
CONSTRUCTION PERMIT

Authorizing Official:


George H. Gwinn

Supervisory Engineer

Audio Division

Media Bureau

Official Mailing Address:

MINNESOTA PUBLIC RADIO

480 CEDAR ST

SAINT PAUL MN 55101

Facility Id: 141856

Call Sign: K283AN

Permit File Number: BMPFT-20060419ABX

Grant Date: **MAY 23 2006**

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This Permit modifies Permit No. BNPFT-20030828AQS

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Name of Permittee: MINNESOTA PUBLIC RADIO

Principal community to be served: MN-HINCKLEY

Primary Station: KSJN (FM) , Channel 258, MINNEAPOLIS, MN

Via: Direct - off-air

Frequency (MHz): 104.5

Channel: 283

Hours of Operation: Unlimited

Antenna Coordinates: North Latitude: 46 deg 00 min 51 sec

West Longitude: 92 deg 56 min 35 sec

Transmitter: Type Accepted. See Sections 73.1660, 74.1250 of the Commission's Rules

Antenna type: (directional or non-directional): Non-Directional

Major lobe directions (degrees true): Not Applicable

| | Horizontally Polarized Antenna: | Vertically Polarized Antenna: |
|---|---------------------------------------|-------------------------------------|
| Effective radiated power in the Horizontal Plane (kw): | 0.055 | 0.055 |
| Height of radiation center above ground (Meters): | 45 | 45 |
| Height of radiation center above mean sea level (Meters): | 360 | 360 |

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 46 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

- 1 Prior to commencing program test operations, FM Translator or FM Booster permittee must have on file at the Commission, FCC Form 350, Application for an FM Translator or FM Booster Station License, pursuant to 47 C.F.R. Section 74.14.
- 2 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 3 Warning signs which describe the radiofrequency electromagnetic field must be posted at appropriate intervals. Access must be restricted to prevent the exposure of humans to RF emissions in excess of the FCC guidelines (OET Bulletin No. 65, Edition 97-01, released August 1997). Permittee shall submit documentation of compliance with this special operating condition when filing FCC Form 350, application for license.

Special operating conditions or restrictions:

- 4 BEFORE PROGRAM TESTS COMMENCE, sufficient measurements shall be made to establish that the operation authorized in this construction permit is in compliance with the spurious emissions requirements of 47 C.F.R. Sections 73.317(b) through 73.317(d). All measurements must be made with all stations simultaneously utilizing the shared antenna. These measurements shall be submitted to the Commission along with the FCC Form 350 application for license.

*** END OF AUTHORIZATION ***